

02-11-02

17

ATTORNEY DOCKET NO.:
062891.0673

PATENT APPLICATION

1

TRANSMITTAL FOR U.S. PATENT APPLICATION
UNDER 37 CFR §1.53(b)

Box Patent Application
ASSISTANT COMMISSIONER
OF PATENTS
Washington, D.C. 20231

Attorney Docket No.: 062891.0673
Express Mail. No. EV073181286US

Sir:

Transmitted herewith for filing is the original patent application of:

Inventor: David W. McDaniel

For: **ADDRESS HOPPING OF PACKET-BASED COMMUNICATIONS**

Pursuant to 37 C.F.R. § 1.213(a), Applicant respectfully requests that the above-identified patent application not be published under 35 U.S.C. § 122(b). Applicant hereby certifies that the invention disclosed in the above-identified application has not been and will not be the subject of an application filed in another country, or under a multilateral international agreement, that requires publication at eighteen months after filing.

Enclosed are:

- (1) Specification, Claims and Abstract (26 pages);
 - (2) Executed Declaration and Power of Attorney (2 pages);
 - (3) Formal Drawings (2 pages);
 - (4) Assignment of the invention to Cisco Technology, Inc. with recordal cover sheet in compliance with 37 C.F.R. § 3.28 and § 3.31 and \$40.00 fee pursuant to 37 C.F.R. § 1.21(h);
 - (5) Non-publication Request Under 35 U.S.C. 122(b)(2)(B)(i) Form; and
- This Transmittal Form with attached patent application filing fee in the amount of \$1,118.00.

| FEE CALCULATION | | | | | FEE |
|-----------------------|--------|----|-----------------|----------|------------------------|
| | Number | | Number Extra | Rate | Basic Fee \$ 740.00 |
| Total Claims | 27 | 20 | 7 | X \$18 = | \$ 126.00 |
| Independent Claims | 6 | 3 | 3 | X \$84 = | \$ 252.00 |
| TOTAL FILING FEE = | | | | | \$1,118.00 |


ATTORNEY DOCKET NO.:
062891.0673

PATENT APPLICATION

2

Enclosed is a check in the amount of \$1,118.00 for the filing fee. Please charge any additional fees or credit any overpayment to Deposit Account No. 02-0384 of Baker Botts L.L.P.

BAKER BOTTS L.L.P.
Attorneys for Applicants



Kurt M. Pankratz
Registration No. 46,977

Date: February 5, 2002



05073

PATENT TRADEMARK OFFICE

| Parameter | Value | Unit |
|--|-----------------------|---------|
| Temperature | 25.0 | °C |
| Pressure | 1.0 | atm |
| Flow rate | 1.0 | L/min |
| Sample concentration | 1.0 | mg/mL |
| Injection volume | 1.0 | μL |
| Column | Agilent Zorbax SB-C18 | mm |
| Mobile phase | Water/Acetonitrile | vol/vol |
| Detection | UV-Vis | nm |
| Wavelength | 254 | nm |
| Scan rate | 1000 | Hz |
| Resolution | 0.1 | nm |
| Integration | 1.0 | min |
| Baseline | 0.0 | min |
| Peak width | 0.1 | min |
| Peak height | 1.0 | min |
| Peak area | 1.0 | min |
| Peak volume | 1.0 | min |
| Peak mass | 1.0 | min |
| Peak density | 1.0 | min |
| Peak temperature | 1.0 | min |
| Peak pressure | 1.0 | min |
| Peak flow rate | 1.0 | min |
| Peak sample concentration | 1.0 | min |
| Peak injection volume | 1.0 | min |
| Peak column | 1.0 | min |
| Peak mobile phase | 1.0 | min |
| Peak detection | 1.0 | min |
| Peak wavelength | 1.0 | min |
| Peak scan rate | 1.0 | min |
| Peak resolution | 1.0 | min |
| Peak integration | 1.0 | min |
| Peak baseline | 1.0 | min |
| Peak peak width | 1.0 | min |
| Peak peak height | 1.0 | min |
| Peak peak area | 1.0 | min |
| Peak peak volume | 1.0 | min |
| Peak peak mass | 1.0 | min |
| Peak peak density | 1.0 | min |
| Peak peak temperature | 1.0 | min |
| Peak peak pressure | 1.0 | min |
| Peak peak flow rate | 1.0 | min |
| Peak peak sample concentration | 1.0 | min |
| Peak peak injection volume | 1.0 | min |
| Peak peak column | 1.0 | min |
| Peak peak mobile phase | 1.0 | min |
| Peak peak detection | 1.0 | min |
| Peak peak wavelength | 1.0 | min |
| Peak peak scan rate | 1.0 | min |
| Peak peak resolution | 1.0 | min |
| Peak peak integration | 1.0 | min |
| Peak peak baseline | 1.0 | min |
| Peak peak peak width | 1.0 | min |
| Peak peak peak height | 1.0 | min |
| Peak peak peak area | 1.0 | min |
| Peak peak peak volume | 1.0 | min |
| Peak peak peak mass | 1.0 | min |
| Peak peak peak density | 1.0 | min |
| Peak peak peak temperature | 1.0 | min |
| Peak peak peak pressure | 1.0 | min |
| Peak peak peak flow rate | 1.0 | min |
| Peak peak peak sample concentration | 1.0 | min |
| Peak peak peak injection volume | 1.0 | min |
| Peak peak peak column | 1.0 | min |
| Peak peak peak mobile phase | 1.0 | min |
| Peak peak peak detection | 1.0 | min |
| Peak peak peak wavelength | 1.0 | min |
| Peak peak peak scan rate | 1.0 | min |
| Peak peak peak resolution | 1.0 | min |
| Peak peak peak integration | 1.0 | min |
| Peak peak peak baseline | 1.0 | min |
| Peak peak peak peak width | 1.0 | min |
| Peak peak peak peak height | 1.0 | min |
| Peak peak peak peak area | 1.0 | min |
| Peak peak peak peak volume | 1.0 | min |
| Peak peak peak peak mass | 1.0 | min |
| Peak peak peak peak density | 1.0 | min |
| Peak peak peak peak temperature | 1.0 | min |
| Peak peak peak peak pressure | 1.0 | min |
| Peak peak peak peak flow rate | 1.0 | min |
| Peak peak peak peak sample concentration | 1.0 | min |
| Peak peak peak peak injection volume | 1.0 | min |
| Peak peak peak peak column | 1.0 | min |
| Peak peak peak peak mobile phase | 1.0 | min |
| Peak peak peak peak detection | 1.0 | min |
| Peak peak peak peak wavelength | 1.0 | min |
| Peak peak peak peak scan rate | 1.0 | min |
| Peak peak peak peak resolution | 1.0 | min |
| Peak peak peak peak integration | 1.0 | min |
| Peak peak peak peak baseline | 1.0 | min |
| Peak peak peak peak peak width | 1.0 | min |
| Peak peak peak peak peak height | 1.0 | min |
| Peak peak peak peak peak area | 1.0 | min |
| Peak peak peak peak peak volume | 1.0 | min |
| Peak peak peak peak peak mass | 1.0 | min |
| Peak peak peak peak peak density | 1.0 | min |
| Peak peak peak peak peak temperature | 1.0 | min |
| Peak peak peak peak peak pressure | 1.0 | min |
| Peak peak peak peak peak flow rate | 1.0 | min |
| Peak peak peak peak peak sample concentration | 1.0 | min |
| Peak peak peak peak peak injection volume | 1.0 | min |
| Peak peak peak peak peak column | 1.0 | min |
| Peak peak peak peak peak mobile phase | 1.0 | min |
| Peak peak peak peak peak detection | 1.0 | min |
| Peak peak peak peak peak wavelength | 1.0 | min |
| Peak peak peak peak peak scan rate | 1.0 | min |
| Peak peak peak peak peak resolution | 1.0 | min |
| Peak peak peak peak peak integration | 1.0 | min |
| Peak peak peak peak peak baseline | 1.0 | min |
| Peak peak peak peak peak peak width | 1.0 | min |
| Peak peak peak peak peak peak height | 1.0 | min |
| Peak peak peak peak peak peak area | 1.0 | min |
| Peak peak peak peak peak peak volume | 1.0 | min |
| Peak peak peak peak peak peak mass | 1.0 | min |
| Peak peak peak peak peak peak density | 1.0 | min |
| Peak peak peak peak peak peak temperature | 1.0 | min |
| Peak peak peak peak peak peak pressure | 1.0 | min |
| Peak peak peak peak peak peak flow rate | 1.0 | min |
| Peak peak peak peak peak peak sample concentration | 1.0 | min |
| Peak peak peak peak peak peak injection volume | 1.0 | min |
| Peak peak peak peak peak peak column | 1.0 | min |
| Peak peak peak peak peak peak mobile phase | 1.0 | min |
| Peak peak | | |

David W. McDaniel

ADDRESS HOPPING OF PACKET-BASED COMMUNICATIONS

Honorable Assistant Commissioner
for Patents
Washington, D.C. 20231-9999

CERTIFICATE OF MAILING BY EXPRESS MAIL

Willie Tiles

Express Mail Receipt
No. EV073181286US
Attorney's Docket:
062891.0673

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number


| | | | |
|---|----------------------|--|-------------------|
| NONPUBLICATION REQUEST UNDER 35 U.S.C. 122(b)(2)(B)(i) | First Named Inventor | | David W. McDaniel |
| | Title | Address Hopping of Packet-Based Communications | |
| | Atty Docket Number | | 062891.0673 |

I hereby certify that the invention disclosed in the attached application **has not and will not be** the subject of an application filed in another country, or under a multilateral agreement, that requires publication at eighteen months after filing.

I hereby request that the attached application not be published under 35 U.S.C. 122(b).

BAKER BOTTS L.L.P.
Attorneys for Applicants

February 5, 2002
Date


Signature

Kurt M. Pankratz
Typed or printed name
Reg. No. 46,977

This request must be signed in compliance with 37 CFR 1.33(b) and submitted with the application **upon filing**.

Applicant may rescind this non-publication request at any time. If applicant rescinds a request that an application not be published under 35 U.S.C. 122(b), the application will be scheduled for publication at eighteen months from the earliest claimed filing date for which a benefit is claimed.

If applicant subsequently files an application directed to the invention disclosed in the attached application in another country, or under a multilateral international agreement, that requires publication of applications eighteen months after filing, the applicant must notify the United States Patent and Trademark Office of such filing within forty-five (45) days after the date of the filing of such foreign or international application. **Failure to do so will result in abandonment of this application (35 U.S.C. 122(b)(2)(B)(iii)).**

Burden Hour Statement. This collection of information is required by 37 CFR 1.213(a). The information is used by the public to request that an application not be published under 35 U.S.C. 122(b) (and the PTO to process that request). Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This form is estimated to take 6 minutes to complete. This time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.